Animal Genetics 1988, **19**, 457-459

Author Index

Amorim A., *see* Ferrand N.
Anderson D.L., *see* Penedo M.C.T.
Andersson L., *see* Lindberg P.-G.
see also Sigurdardottir S.
Angelos J., Oppenheim Y., Rebhun W., Mohammed H. & Antczak D.F.: Evaluation of breed as a risk factor for sarcoid and uveitis in horses, 417
Antczak D.F., *see* Angelos J.
see also Crump A.L.
see also Donaldson W.L.
see also Lazary S.
Archibald A.L. & McTeir B.L.: A new allele at the *Pgd* locus in pigs, 189

Bailey E., *see* Lazary S.
see also MacCluer J.W.
Baldock F.C., *see* Stear M.J.
Beckman J.S., *see* Hallerman E.M.
Bell K., Pollitt C.C. & Patterson S.D.: Subdivision of equine Tf into H_1 and H_2, 177
see also Lazary S.
Bernoco D., *see* Lazary S.
Bertaud M., *see* Guerin G.
Blangero j., *see* MacCluer J.W.
Bouguet Y., *see* Van de Weghe A.
Bowling A.T. & Clark R.S.: Excess of heterozygotes at albumin locus in American Standardbred horses, 331
& Ewalt-Evans R.: The A system of horse erythrocyte alloantigens: a new allele and another look at factor Ae, 43
, Scott A.M., Flint J. & Clegg J.B.: Novel alpha haemoglobin haplotypes in horses, 87
& Wictum E.: Preliminary evidence for a fourth allele at the phosphohexose isomerase *(Phi)* locus of horse erythrocytes, 47
see also Penedo M.C.T.
Braend M.: Haemoglobin polymorphism in Norwegian Red Cattle, 59
Briles R.W., *see* Taylor R.L.
Briles W.E., *see* Taylor R.L.
Brown S.C. *see* Outteridge P.M.
see also Stear M.J.
Byrns G., *see* Lazary S.

Carvalho G., *see* Ferrand N.
Chasset P., *see* Guerin G.
Clare R.A., *see* Taylor R.L.
Clark R.S., *see* Bowling A.T.
Clegg J.B., *see* Bowling A.T.
Crema A., *see* Vestri R.
Crump A.L., Davis W. & Antczak D.F.: A monoclonal antibody identifying a T-cell marker in the horse, 349
see also Donaldson W.L.
Cullen P.R., *see* Outteridge P.M.

Davies W., Harbitz I., Fries R., Stranzinger G. & Hauge J.G.: Porcine malignant hyperthermia carrier detection and chromosomal assignment using a linked probe, 203
Davis W., *see* Crump A.L.
see also Donaldson W.L.
Depelchin A., *see* Letesson J.J.
Dhaliwal S.S., *see* Hasima N.
Di Gregorio P., *see* Rando A.
Dimmock C.K., *see* Stear M.J.
Donaldson W.L., Crump A.L., Zhang C., Kornbluth J., Kamoun M., Davis W. & Antczak D.F.: At least two loci encode polymorphic class I MHC antigens in the horse, 379
Dvorak P., *see* Hruban v.

Ewalt-Evans R., *see* Bowling A.T.

Ferrand N., Carvalho G. & Amorim A.: Transferrin *(Tf)* polymorphism in wild rabbit, *Oryctolagus cuniculus*, 295
Flint J., *see* Bowling A.T.
Fowler M.E., *see* Penedo M.C.T.
Fredholm M., *see* Renard Ch.
Fries R., *see* Davies W.
Froysadal E., *see* Lie Ø.
Funderud S., *see* Lie Ø.

Gahne B., *see* Juneja R.K.
Gaudernack G., *see* Lie Ø.
Gautschi C., *see* Renard Ch.
Gerber H., *see* Hirni H.
see also Hanni K.
Gordon L., *see* Penedo M.C.T.
Grzybowski G., *see* Simon M.
Guerin G., Varewyck H., Bertaud M. & Chasset P.: Analysis of a horse family with a crossing-over between the ELA complex and the A blood group system, 1
Gustavsson I., *see* Ryttman H.
Guttormsen S.A., *see* Weitkamp L.R.

Hallerman E.M., Theilmann J.L., Beckman J.S., Soller M. & Womack J.E.: Mapping of bovine prolactin and rhodopsin genes in hybrid somatic cells, 123
Hanni K., Hesford F., Lazary S. & Gerber H.: Restriction fragment length polymorphisms of horse class II MHC genes observed using various human alpha- and beta-chain cDNA probes, 395
Harbitz I., *see* Davies W.
Hasima N., Dhaliwal S.S. & Mukherjee T.K.: The red cell 'X'-protein system in goats: evidence for a third allele in a Malaysian breed, 37
Hauge J.G., *see* Davies W.
Hensen E.J., *see* Joosten I.

Hepkema B.G., *see* Joosten I.
Herzog S.: Polymorphism and genetic control of erythrocyte 6-phosphogluconate dehydrogenase in the genus *Cervus*, 291
Hesford F., *see* Hanni K.
Hintz M., Rout U.K. & Holmes R.S.: Genetics and development of ocular oxidases in the mouse: evidence for a new locus *(Eox-1)* closely linked with the aldehyde oxidase loci on chromosome 1, 227
Hirni H., Lazarny S. & Gerber H.: Serological and genetic study of the ELA W21 specificity, 391
Holmes R.S., *see* Hintz M.
Hradecky J., *see* Hruban V.
Hruban V., Hradecky J. & Dvorak P.: Polymorphism of the SLB serologically defined (non-MHC) alloantigenic system in pigs, 285
see also Renard Ch.
see also Simon M.

Joosten I., Oliver R.A., Spooner R.L., Williams J.L., Hepkema B.G., Sanders M.F. & Hensen E.J.: Characterization of class I bovine lymphocyte antigens (BoLA) by one-dimensional iselectrofocusing, 103
Juneja R.K., Niini T., Lohi O., Larsen B. & Gahne B.: Genetic polymorphism of plasma α_1B-glycoprotein and transferrin in arctic and silver foxes, 237

Kamoun M., *see* Donaldson W.L.
Kemp S.J., Spooner R.L. & Teale A.J.: A comparative study of major histocompatibility complex antigens in East African and European cattle breeds, 17
King R.H., *see* Weitkamp L.R.
Koch C., *see* McClure J.J.
Kornbluth J., *see* Donaldson W.L.
Kristensen B., *see* Renard Ch.
Kurosawa Y. & Tanaka K.: Electrophoretic variants of serum transferrin in wild pig populations of Japan, 31

Larsen B., *see* Juneja R.K.
Lazary S., Antczak D.F., Bailey E., Bell T.K., Bernoco D., Byrns G. & McClure J.J.: Joint Report of the Fifth International Workshop on Lymphocyte Alloantigens of the Horse, Baton Rouge, Louisiana, 31 October–1 November 1987, 447
see also Hirni H.
see also Hanni K.
LeBlanc M.M. & Pritchard E.L.: Effects of bovine colostrum, foal serum immunoglobulin concentration and intravenous plasma transfusion on chemiluminescence response of foal neutrophils, 435
Letesson J.J., Vandekerckhove J., Lostrie N. & Depelchin A.: Determination of N-terminal amino acid sequence of bovine class I antigens, 193
Lie Ø., Vartdal F., Funderud S., Gaudernack G., Froysadal E., Olsaker I., Ugelstad J. & Thorsby E.: Immunomagnetic isolation of cells for serological BoLA typing, 75
Lindberg P.-G. & Andersson L.: Close association between DNA polymorphism of bovine major histocompatibility complex class I genes and serological BoLA-A specificities, 245
Lohi O., *see* Juneja R.K.
Lostia O., *see* Vestri R.
Lostrie N., *see* Letesson J.J.
Lunden A., *see* Sigurdardottir S.

MacCluer J.W., Bailey E., Weitkamp L.R. & Blangero J.: ELA and fertility in American Standardbred horses, 359
see also Weitkamp L.R.
McClure J.J.: Equine disease association studies: a clinician's perspective, 409
, Koch C., Powell M. & McClure J.R.: Association of arytenoid chondritis with equine lymphocyte antigens but no association with laryngeal hemiplegia, umbilical hernias and cryptorchidism, 427
see also Lazary S.
McClure J.R., *see* McClure J.J.
McTeir B.L., *see* Archibald A.L.
Magnuson N.S., *see* Perryman L.E.
Masina P., *see* Rando A.
Mason P.H., *see* Perryman L.E.
Mohammed H., *see* Angelos J.
Morgan A.L.G., *see* Oddgeirsson O.
Muggli-Cockett N.E. & Stone R.T.: Identification of genetic variation in the bovine major histocompatibility complex DRβ-like genes using sequenced bovine genomic probes, 213
Muggli N.E., *see* Stear M.J.
Mukherjee T.K., *see* Hasima N.

Newman M.J., *see* Stear M.J.
Nicholas F.W., *see* Stear M.J.
Niini T., *see* Juneja R.K.

Oddgeirsson O., Simpson S.P., Morgan A.L.G., Ross D.S. & Spooner R.L.: Relationship between the bovine major histocompatibility complex (BoLA), erythrocyte markers and susceptibility to mastitis in Icelandic cattle, 11
Ohno S.: On periodicities governing the construction of genes and proteins, 305
Oliver R.A., *see* Joosten I.
Olsaker I., *see* Lie Ø.
Oppenheim Y., *see* Angelos J.
Outteridge P.M., Cullen P.R., Windon R.G. & Brown S.: Ovine lymphocyte antigens: a comparison of Australian and European antisera, 159

Patterson S.D., *see* Bell K.

Penedo M.C.T., Fowler M.E., Bowling A.T., Anderson D.L. & Gordon L.: Genetic variation in the blood of llamas, *Llama glama*, and alpacas, *Llama pacos*, 267
Perryman L.E., Wyatt C.R., Magnuson N.S. & Mason P.H.: T lymphocyte development and maturation in horses, 343
Pokorny T.S., *see* Stear M.J.
Pollitt C.C., *see* Bell K.
Powell M., *see* McClure J.J.
Pritchard E.L., *see* LeBlanc M.M.

Rando A., Di Gregorio P. & Masina P.: Identification of bovine κ-casein genotypes at the DNA level, 51
Rebhun W., *see* Angelos J.
Ross D.S., *see* Oddgeirsson O.
Rout U.K., *see* Hintz M.
Rudder T.H., *see* Stear M.J.
Ryttman H., Thebo P. & Gustavsson I.: Regional assignments of NP and MPI on chromosome 7 in pig, *Sus scrofa*, 197

Sanders M.F., *see* Joosten I.
Scott A.M., *see* Bowling A.T.
Sigurdardottir S., Lunden A. & Andersson L.: Restriction fragment length polymorphism of DQ and DR class II genes of the bovine major histocompatibility complex, 133
Simon M., Hruban V. & Grzybowski G.: Interspecies cross-reactivity of bovine lymphocytotoxic sera with pig lymphocytes, 185
Simpson S.P., *see* Kemp A.J.
see also Oddgeirsson O.
Soller M., *see* Hallerman E.M.
Spooner R.L., *see* Joosten I.
see also Oddgeirsson O.
Stear M.J., Dimmock C.K., Newman M.J. & Nicholas F.W.: BoLA antigens are associated with increased frequency of persistent lymphocytosis in bovine leukaemia virus infected cattle and with increased incidence of antibodies to bovine leukaemia virus, 151
, Pokorny T.S., Muggli N.E. & Stone R.T.: Breed differences in the distribution of BoLA-A locus antigens in American cattle, 171
, Tierney T.J., Baldock F.C., Brown S.C., Nicholas F.W. & Rudder T.H.: Class I antigens of the bovine major histocompatibility system are weakly associated with variation in faecal worm egg counts in naturally infected cattle, 115
Stone R.T., *see* Muggli-Cockett N.E.
see also Stear M.J.
Stranzinger G., *see* Davies W.

Tanaka K., *see* Kurosawa Y.
Taylor R.L. Jr, Clare R.A., Ward P.H., Briles R.W. & Briles W.E.: Anti-Rous sarcoma response of major histocompatibility (B) complex haplotypes B^{23}, B^{24} and B^{30}, 277
Teale A.J., *see* Kemp S.J.
Testa A., *see* Vestri R.
Thebo P., *see* Ryttman H.
Theilmann J.L., *see* Hallerman E.M.
Thomson D.L. Jr, *see* White K.L.
Thorsby E., *see* Lie Ø.
Tierney T.J., *see* Stear M.J.
Tucker E.M.: Obituary; Malcolm R. Irwin, 73

Ugelstad J., *see* Lie Ø.

Vaiman M., *see* Renard Ch.
Van de Weghe A., Yablanski Ts., Van Zeveren A. & Bouquet Y.: A third variant of glucose phosphate isomerase in pigs, 55
Vandekerckhove J., *see* Letesson J.J.
Van Zeveren A., *see* Van de Weghe A.
Varewyck H., *see* Guerin G.
Vartdal F., *see* Lie Ø.
Vestri R., Crema A., Testa A. & Lostia O.: Kinetics of the Hb A to Hb C switch and erythropoietin plasma levels in sheep, 257

Ward P.H., *see* Taylor R.L.
Weitkamp L.R., MacCluer J.W., Guttormsen S.A. & King R.H.: Standardbred stallion gene transmission for twelve protein systems, 317
see also MacCluer J.W.
White K.L., Thomson D.L. Jr & Wood T.C.: Evaluation of the presence of a specific histocompatibility protein on equine embryonic cells, 373
Wictum E., *see* Bowling A.T.
Williams J.L., *see* Joosten I.
Windon R.G., *see* Outteridge P.M.
Womack J.E., *see* Hallerman E.M.
Wood T.C., *see* White K.L.
Wyatt C.R., *see* Perryman L.E.

Yablanski Ts., *see* Van de Weghe A.

Zhang C., *see* Donaldson W.L.

Animal Genetics 1988, **19**, 460-461

Subject Index

Albumen locus, horse, 331
Aldehyde oxidase, mouse, 227
Allele:
  Phi locus, horse, 47
  red cell protein, 37
Alloantigen:
  comparison test, pig, 63
  erythrocyte, horse, 43
  lymphocyte, horse, 447
  polymorphism, pig, 285
Alpaca, blood groups, 267
Amino acid, N-terminal sequence, 193
Analysis, ELA/blood group, horse, 1
Antibodies, leukaemia virus, 151
Antigens:
  African cattle, 17
  American cattle, 171
  class I, 63, 103, 245
  class II, 395
  European cattle, 17, 103, 115
  Icelandic cattle, 11
  lymphocyte, 151, 159, 185, 427
  N-terminal sequence, 193

Blood group:
  A, alloantigen, 43; crossing-over, ELA, 1
  alpaca, 267
  llama, 267
BoLA:
  American cattle, 171
  antisera, 185
  class I, 103, 193
  DNA polymorphism, 245
  Icelandic cattle, 11
  RFLP, 133
  serological typing, 75
  virus association, 151
Book review:
  Primer of Genetic Analysis, by J.N. Thompson Jr, J.J. Hellack & G. Braver, 201

Casein, κ-, genotypes, cow, 51
Chemiluminescence response, neutrophils, horse, 435
Chicken, Rous sarcoma, 277
Cow:
  casein, κ-, genotypes, 51
  DNA polymorphism of MHC, 245
  lymphocyte antigens, 185
  MHC, 11, 17, 103, 115, 133, 171, 213
  N-terminal sequence, 193
  polymorphism, Hb, 59
  prolactin, 123
Crossing-over, ELA/blood group, horse, 1
Cross-reactivity, antisera, pig/cow, 185

Deer, phosphogluconate dehydrogenase, 291
Disease association, horse, 409, 427
DNA, κ-casein genotypes, cow, 51

ELA complex:
  A blood group, crossing-over, 1
  disease association, 409, 427
  fertility, 359
  W21 specificity, 391
Electrophoresis, serum transferrin, 31, 177, 237, 295
Embryo, histocompatibility protein, horse, 373
Erythrocyte:
  alloantigen, horse, 43
  markers, cow, 11
  Phi locus, horse, 47
  phosphogluconate dehydrogenase, 291
  protein system, goat, 37
Erythropoetin plasma, sheep, 257

Fertility, ELA, horse, 359
Fox, polymorphism, plasma proteins, 237

Gene:
  construction periodicities, 305
  frequency, 17, 31, 59
  MHC class II, horse, 395
  transmission, horse, 317
Globin, gene rearrangements, 87
Glucose phosphate isomerase, pig, 55, 203
Goat, red cell 'X'-protein system, 37

Haemoglobin:
  Hb haplotypes, horse, 87
  polymorphism, cow, 59
  switching, sheep, 257
Halothane locus, pig, 189, 203
Haplotypes:
  B complex, chicken, 277
  Hb, horse, 87
Heterozygote, excess, albumin locus, 331
Histocompatibility protein, horse embryo, 373
Horse:
  albumin locus, 331
  alloantigen, 43, 447
  disease association, 409, 427
  ELA/blood group, 1, 391
  gene transmission, proteins, 317
  haemoglobin haplotypes, 87
  histocompatibility protein, 373
  MHC, 379, 395
  neutrophils, 435

Phi locus, 47
T lymphocyte, 343, 349
transferrin, 177
tumour risk, 417

Icelandic cattle, MHC, 11
Immunomagnetic, isolation of cells, 75
Isoelectrofocusing, BoLA, 103

Leukaemia virus, 151
Llama, blood groups, 267
Lymphocyte
alloantigens, pig, 63; horse, 447
antigens, cow, 185; horse 359, 391, 427; sheep, 159
BoLA, 103
T, horse, 343
Lymphocytosis, leukaemia virus, 151

Mapping, genomic, 123, 197
Mastitis, susceptibility, 11
MHC:
cow, 11, 17, 103, 115, 133, 151, 171, 213
horse, 1, 259, 379, 391, 395, 447
pig, 63
Monoclonal antibodies:
cow, 75
horse, 343, 349, 379
Mouse, ocular oxidase, 227

Neutrophils, horse, 435

Ocular oxidase, mouse, 227

Parasite, effects MHC, cattle, 115
Periodicities, genes/proteins, 305
Phosphogluconate dehydrogenase, pig, 189; deer, 291
Phosphohexose isomerase, horse, 47
Pig:
alloantigens, 63
genomic mapping, 197
glucose phosphate isomerase, 55, 203
lymphocyte antigens, 185
phosphogluconate locus, 189
serum transferrin, variants, 31
SLB system, 285
Polymorphism:
biochemical, llama, alpaca, 267
DNA, 245

Hb, cattle, 59
phosphogluconate dehydrogenase, deer, 291
phosphohexose isomerase, horse, 47
plasma proteins, fox, 237; horse 331
SLB system, pig, 285
transferrin, rabbit, 295
Prolactin, mapping, 123
Protein:
albumin locus, horse, 331
gene transmission, horse, 317
periodicities, 305
plasma, fox, 237
polymorphic, 331
'X' system, goat, 37

Rabbit, transferrin, 295
Recombination, horse, 1, 87
RFLP:
bovine, 51; MHC, 133, 213, 245
horse, MHC, 395
pig, 203
Rhodopsin, mapping, 123
Rous sarcoma, 277

Sarcoid, tumour, horse, 417
Serological typing, BoLA, 75
Serum, transferrin, variants, pig, 31
Sheep:
haemoglobin switching, 257
lymphocyte antigens, 159
SLA, pig, 63, 185
SLB system, pig, 285
Southern blot analysis, horse, 1; cow, 213
Syntenic groups, 123

Transferrin:
fox, 237
horse, 177
rabbit, 295
pig, 31

Uveitis, horse, 417

Variants:
GPI, pig, 55
serum transferrin, pig, 31
Virus, leukaemia, cow, 151

Xanthine oxidase, mouse, 227